ELSEVIER

Volume 291, Numbers 1–2, August 1999

Inorganica Chimica Acta

Contents

Review

Organometallic electron reservoir sandwich iron complexes as potential agents for redox and electron transfer chain catalysis 1
M.-H. Delville



Articles

Novel features associated with the electrochemically driven bis(η^5-pentaphenylcyclopentadienyl)iron(II)–iron(III) redox transformation at an electrode–microcrystal–solvent (electrolyte) interface 21
A.M. Bond, A. Lamprecht, V. Tedesco, F. Marken



Solution thermochemical study of ligand substitution reactions of hybrid alkyl/fluoroalkoxy phosphorus ligands in the $L_2Fe(CO)_3$ system 32
C.M. Haar, S.P. Nolan



Syntheses, properties and Mössbauer studies of cyanamide and cyanoguanidine complexes of iron(II). Crystal structures of *trans*-[FeH(NCNH$_2$)(Ph$_2$PCH$_2$CH$_2$PPh$_2$)$_2$][BF$_4$] and *trans*-[Fe(NCNEt$_2$)$_2$(Et$_2$PCH$_2$CH$_2$PEt$_2$)$_2$][BF$_4$]$_2$ 39
L.M.D.R.S. Martins, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, R.A. Henderson, D.J. Evans, F. Benetollo, G. Bombieri, R.A. Michelin



Elsevier Science S.A.

Conformational diversity in (octaethylporphinato)-(trichloroacetato)iron(III) derivatives 49
T.J. Neal, B. Cheng, J.-G. Ma, J.A. Shelnutt, C.E. Schulz, W.R. Scheidt



Synthesis of gold ferrocenyl substituted ylides and methanides: crystal structure of $[FcCH(AuPPh_3)PPh_3]ClO_4$ $[Fc = (\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)]$ 60
E.M. Barranco, M.C. Gimeno, A. Laguna



Widely differing stabilities of molecule-bridged cyanodiiron(III, II) species in non-aqueous solvents 66
M. Ketterle, W. Kaim, J.A. Olabe, A.R. Parise, J. Fiedler



The quadrupole hyperfine interaction of iron organometallics: an interpretation of its temperature dependence 74
R.H. Herber



Molecular orbital-theoretical studies of a dinuclear Fe(II)–Fe(III) complex 82
C. Saal, M.C. Böhm, W. Haase



New ferracyclic π-allyl and η^3-pentadienyl complexes by carbonylative lactonization of unsaturated diols. 91
R. Schobert, H. Pfab, A. Mangold, F. Hampel



Lattice effects in the Mössbauer spectra of salts of $[Fe_4S_4\{S(CH_2)_nOH\}_4]^{2-}$. Crystal structures of $[PPh_4]_2$-$[Fe_4S_4\{S(CH_2)_nOH\}_4]$ ($n = 2$, 3 and 4) 101
J.E. Barclay, S.C. Davies, D.J. Evans, D.L. Hughes, S. Longhurst



Novel organoiron compounds resulting from the attempted syntheses of dibenzofulvalene complexes 109
B.R. Waldbaum, R.C. Kerber



Mixed-valence states of iron long-chain carboxylate complexes 127
T. Nakamoto, M. Katada, H. Sano



Kinetics of the photooxidation of tris(bipyridine)iron(II) in chloroform 136
T.H. Nguyen, P.J. Shannon, P.E. Hoggard



Soluble complexes of $[FeH_6]^{4-}$ 142
D.E. Linn Jr., G.M. Skidd, E.M. Tippmann



Thermodynamic and kinetic studies of the sulfonated derivative of the iron chelator TRENCAM, an analog of enterobactin 148
F. Thomas, C. Beguin, J.-L. Pierre, G. Serratrice



Solution studies of complexes of iron(III) with iminodiacetic, alkyl-substituted iminodiacetic and nitrilotriacetic acids by potentiometry and cyclic voltammetry 158
J. Sanchiz, P. Esparza, S. Domínguez, F. Brito, A. Mederos


$[LFe^{III}\text{-}O\text{-}Fe^{III}L]^{2-} + e^- \rightleftharpoons [LFe^{III}\text{-}O\text{-}Fe^{II}L]^{3-}$
$[LFe^{III}\text{-}O\text{-}Fe^{II}L]^{3-} + H_2O \rightarrow [LFe^{III}\text{-}OH]^- + [LFe^{II}\text{-}OH]^{2-}$

Synthesis of bis-(acyl, carbamoyl or alkoxycarbonyl) iron monomer or dimer complexes by reaction of oxalyl chloride with various tetracarbonyl ferrates: $\{Fe[C(O)R](CO)_4\}^-$ . . 166
D. Luart, N. le Gall, J.-Y. Salaün, L. Toupet, H. des Abbayes



Reactions of σ-π alkenyl complexes $[Fe_2(CO)_6(\mu\text{-alkenyl})(\mu\text{-}PPh_2)]$ with bis(diphenylphosphino)methane (dppm); carbonyl substitution, migratory carbonyl insertion, phosphorus–carbon bond formation and cleavage, proton shift and alkenyl isomerisation reactions 178
G. Hogarth, K. Shukri, S. Doherty, A.J. Carty, G.D. Enright



Iron(II/III) complexes of non-porphyrin macrocyclic $[N_4]^{2-}$ ligands: structure and axial reactivity 190
I. Käpplinger, H. Keutel, E.-G. Jäger



Reduction of cationic P-coordinated (diphenylphosphino)-alkyne iron complexes with sodium borohydride 207
E. Louattani, J. Suades



Protonation and substitution reactions of Fe–S 'basket' clusters including extracted FeMo-cofactor of nitrogenase . 212
V.R. Almeida, C.A. Gormal, K.L.C. Grönberg, R.A. Henderson, K.E. Oglieve, B.E. Smith



Synthetic approaches to Fe(II) complexes of the bulky phosphine P^tBu_2Me 226
K.B. Renkema, M. Ogasawara, W.E. Streib, J.C. Huffman, K.G. Caulton



Transformation of the carboxyl group adjacent to the (η^4-diene)$Fe(CO)_3$ moiety: a convenient route to (η^4-diene)-Fe-$(CO)_3$ complexes containing α,β- and β,γ-unsaturated carbonyl groups, and 1,3-dicarbonyl groups 231
S.Nakanishi, K. Kumeta, T. Takata



New chelating agents suitable for the treatment of iron overload. 238
A.E. Martell, R.J. Motekaitis, Y. Sun, R. Ma, M.J. Welch, T. Pajeau



Carbosilane dendrimers functionalized with $AuFe_3$ clusters 247
M. Benito, O. Rossell, M. Seco, G. Segalés



Synthesis of hexametallic $CH_2\{(\eta^5\text{-}C_5H_4)Fe(CO)_2SnPh_2(\eta^5\text{-}C_5H_5)Fe(CO)_2\}_2$ 252
P. McArdle, L. O'Neill, D. Cunningham



The molecular and electronic structure of the asymmetric, trinuclear complex $[LFe^{III}(\mu\text{-}O)(\mu\text{-}piv)_2Fe^{III}(\mu\text{-}OH)(\mu\text{-}piv)_2Fe^{III}(piv)_2]\cdot C_6H_5CH_3$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane, piv = pivalate(1-)) 258
H. Hummel, E. Bill, T. Weyhermüller, K. Wieghardt



Reaction patterns of 'tetraferrio-azaallenium' $[(OC)_3Cp_2Fe_2(\mu_4\text{-}C{=}N{=}C)Fe_2Cp_2(CO)_3]^+$, and its 'activated cyanide'-precursor (μ-phthalimidocarbyne)tricarbonyldicyclopentadienyldiiron(1 +) 266
K.-H. Trylus, U. Kernbach, I. Brüdgam, W.P. Fehlhammer



Spin-crossover in the $[Fe(abpt)_2(NCX)_2]$ (X = S, Se) system: structural, magnetic, calorimetric and photomagnetic studies 279
N. Moliner, M.C. Muñoz, S. Létard, J.-F. Létard, X. Solans, R. Burriel, M. Castro, O. Kahn, J.A. Real



Novel iron(III) complexes with imidazole containing tripodal ligands as model systems for catechol dioxygenases 289
M. Pascaly, M. Duda, A. Rompel, B.H. Sift, W. Meyer-Klaucke, B. Krebs



Aminophosphanes derived from chiral β-aminoalcohols and carbonyliron complexes thereof 300
J.-J. Brunet, R. Chauvin, J. Chiffre, B. Donnadieu, S. Huguet, P. Leglaye, E. Mothes



On the contrasting reactivity of the phosphaalkene $[(\eta^5\text{-}C_5Me_5)(CO)_2FeP{=}C(NMe_2)_2]$ and the arsaalkene $[(\eta^5\text{-}C_5Me_5)(CO)_2FeAs{=}C(NMe_2)_2]$ towards $[(\eta^5\text{-}C_5H_5)Rh(CO)_2]$ 311
L. Weber, M.H. Scheffer, H.-G. Stammler, B. Neumann



Magnetic iron phosphates with an open framework 317
M. Riou-Cavellec, D. Riou, G. Férey



Bisphenolate iron(II) complexes with intramolecularly coordinating nitrogen Lewis bases 326
J.A.M. Brandts, M.D. Janssen, M.P. Hogerheide, J. Boersma, A.L. Spek, G. van Koten



The μ-sulfonium–methylidene diiron complexes $[Fe_2\{\mu\text{-}C(X)SMe_2\}(\mu\text{-}CO)(CO)_2(Cp)_2]SO_3CF_3$ (X = CN, H) as precursors of μ-alkylidene complexes 333
S. Bordoni, L. Busetto, M.C. Cassani, A. Palazzi, V. Zanotti



C–S, C–H, and N–H bond cleavage of heterocycles by a zero-valent iron complex, $Fe(N_2)(depe)_2$ [depe = 1,2-bis(diethylphosphino)ethane] 341
T. Morikita, M. Hirano, A. Sasaki, S. Komiya



Germanium-containing ferrocenes and ferrocenophanes. Potential precursors for ring-opening polymerizations and 'germaferrocenes' 355
S. Zürcher, V. Gramlich, A. Togni



Effects of β-cyclodextrin inclusion on the kinetics of the oxidation of bisferrocenyl cations by bis(pyridine-2,6-dicarboxylato)cobaltate(III) in aqueous solution: crystal structure of dimethyldi-(1-methylferrocene)ammonium bromide . . . 365
D.H. Macartney, A.W. Roszak, K.C. Smith



Synthesis and structural characterization of $[NEt_4][Fe_3(\mu_3\text{-}O)(\mu_3\text{-}AuPPh_3)(\mu\text{-}CO)_3(CO)_6]$, the new $[Au_6(\mu_3\text{-}S)_2(PPh_3)_6][Fe_3(\mu_3\text{-}S)(\mu\text{-}AuPPh_3)(CO)_9]_2$ and $[Au_6(\mu_3\text{-}S)_2(PPh_3)_6][Fe_5(\mu_3\text{-}S)_2(CO)_{14}]$ ionic solids containing assemblages of cluster-cations and cluster-anions 372
V.G. Albano, C. Castellari, C. Femoni, M.C. Iapalucci, G. Longoni, M. Monari, M. Rauccio, S. Zacchini



Formation of FeSi and $FeSi_2$ films from *cis*-$Fe(SiCl_3)_2(CO)_4$ by MOCVD –precursor versus substrate control . . . . . 380 C.E Zybill, W. Huang	
Effect of N–H···S amide–thiolate hydrogen bonding on bond lengths in rubredoxin models $[(CH_3)_3NCH_2CONH_2]_2[M(S_2\text{-}o\text{-}xyl)_2]$ . . . . . 388 W.P. Chung, J.C. Dewan, M. Tuckerman, M.A. Walters	
Cluster synthesis by the reactions of $[Cp'_2Fe_2S_4]$ with transition-metal complexes ($Cp' = C_5Me_5$, 1,3-$C_5H_3(SiMe_3)_2$) . . 395 M. Yuki, K. Kuge, M. Okazaki, T. Mitsui, S. Inomata, H. Tobita, H. Ogino	
Redox active organoiron alkynyl centers with a coordination site: an approach toward molecular plugs. Complexation reactions with $(THF)W(CO)_5$ and $(PhCN)_2MCl_2$ (M = Pd, Pt) . . . . . 403 S. Le Stang, F. Paul, C. Lapinte	
A polyoxoanion-based iron(II) catechol extradiol dioxygenase: oxygenation of 3,5-di-tert-butylcatechol by the polyoxoanion supported iron(II) complex $(n\text{-}Bu_4N)_7[(CH_3CN)_x\text{-}Fe^{II}\cdot P_2W_{15}Nb_3O_{62}]$. . . . . 426 H. Weiner, Y. Hayashi, R.G. Finke	
Comparing structures and reactivity in analogous Fe and Ru complexes. (^{i}Pr-DAB)$Fe(CO)_2I_2$ and (^{i}Pr-DAB)FeI_2: a perfectly reversible CO-carrier system. (R-DAB = *N*,*N*'-R_2-1,4-diaza-1,3-butadiene) . . . . . 438 J. Breuer, H.-W. Frühauf, W.J.J. Smeets, A.L. Spek	

Chemoselective synthesis of (allyloxy)carbene chelate complexes of iron 449
C. Schulz, M. Tohier, S. Sinbandhit, V. Guerchais



Conference Calendar 453
Author Index of Volume 291 455

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. Please refer to the online version of the Guide for Authors at http://www.elsevier.nl/locate/ica

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

http://ChemWeb.com
The World Wide Club for the Chemical Community
http://chemweb.com/gateways/elsevier.html